

Paul R. LePage, Governor

Mary C. Mayhew, Commissioner


Department of Health and Human Services
Health and Environmental Testing Laboratory
221 State Street
12 State House Station
Augusta, Maine 04333-0012
Tel: (207) 287-2727; Fax: (207) 287-6882
TTY: 1-800-606-0215

ERIN TRAINOR
US ENVIRONMENTAL PROTECTION AGENCY
11 TECHNOLOGY DRIVE
NORTH CHILMSFORD MA 01863

Fax#:

Logged: 7/9/2013 4:51:00PM

Folder/ Invoice # I031458



Released: 7/12/2013

Case #:

Project Name: ECOLI SAMPLES

No. of Samples in Folder: 2

I031458001

I031458002

CERTIFICATION

The HETL hereby certifies that all test results for this report were analyzed by the method listed and meet all NELAC requirements, unless otherwise noted.

Kenneth G. Pote, PhD., Director

Richard French, Quality Assurance Officer

If we can be of further assistance to you, Please Call us at 287-1716

Approved by:

Thomas Crosby

Inorganics Supervisor/Chemist III

CC:

Continued from Previous Page

HETL Folder Number: I031458

HETL Sample Number: I031458001

Description: CS011 NP-H20

Matrix: NP-H20

Sample Point:

Sampler: ALEX ROSENBERG

Sample Date: 7/9/2013 Time: 12:00:00

Analyte	Result	Units	Qualifier	RL	Method	Analyst	Analysis Date/Time
E. coli	687	MPN/100 ml		1.0	9223 B	johnc	07/09/2013, 18:08

HETL Sample Number: I031458002

Description: K-TRIB NP-H20

Matrix: NP-H20

Sample Point:

Sampler: ALEX ROSENBERG

Sample Date: 7/9/2013 Time: 13:05:00

Analyte	Result	Units	Qualifier	RL	Method	Analyst	Analysis Date/Time
E. coli	95.	MPN/100 ml		1.0	9223 B	johnc	07/09/2013, 18:08

Continued from Previous Page

HETL Folder Number: I031458

Units & Measurement

"mg/L" = Milligrams per liter;

"ug/L" = Micrograms per Liter;

"mg/Kg" = Milligrams per Kilogram;

"ug/Kg" = Micrograms per Kilogram;

"PPM" = Parts per Million;

"NTU" = Nephelometric Turbidity Units;

All solid results on a "Dry Weight" basis

NC = Not confirmed NQ = Not Quantitated NA = Not Analyzed J = Approximately U = Undetected R = Rejected

RL-Reporting Limit, the lowest concentration which can be reliably reported on a routine basis

"<" = Less than ">" = Greater than

Note: Results below the advisory limit, including < and K are considered satisfactory for that parameter.

Disclaimer

Your report consists of the number of pages listed on the cover page. Any attachments after the last numbered page are for informational purposes only and not part of the formal report.

The results in this report are for the submitted sample(s) only.

This report shall not be reproduced, except in full, without written permission from the Maine Health and Environmental Testing Laboratory.

State of Maine
Health and Environmental Testing Lab

221 State Street Station #12
Phone (207) 287 - 2727

Augusta, ME 04333-0012
Fax (207) 287-1884

Chain - of - Custody

I031458

Sample Date: 7/9/13
Town/County: Bangor, ME 07-07

Project Name:

US ENVIRONMENTAL PROTECTION AGENCY
Compa: 11 TECHNOLOGY DRIVE
Contact: NORTH CHELMSFORD, MA Kit # 233048
Address: 01863 ECOLI QUANT-EFFLUENT I031458
USEPA3
Phone: This kit expires on: 7-5-2014
e-Mail:

Appropriation/PO#	Compliance sample Y / N
Bill To:	Copy To:
Address:	Address:
Phone:	Phone:
Fax:	Fax:
e-Mail address:	e-Mail address:

Sample ID	Sample time	Preservation	Container vol	Container type	Quantity	Grab or Composite	Matrix:	Ground Water	Waste Water	Drinking Water	Solids	Other	Analyses Required	HETL Number
Garfield 011 7/11/13	13:05				1	G	WW						E. Coli Quant Effluent	I031458-001
K - Tr. b	12:00				1	G	WW							
CS011														

Notes: Preservation Sodium Thiosulfate

Sampled By Alex Rosenberg	Date/Time 7/9/13	Received By	Date/Time
Relinquished By	Date/Time	Received By	Date/Time 7/1/2013 1645
Relinquished By	Date/Time	Received By	Date/Time
Rush (Yes or No)	Fax Results (Yes or No)	Custody seal intact (Yes or No)	Temperature on Arrival 4 °C

If the sample is deemed hazardous it may be returned to the client at your expense for proper disposal
By signing this Chain-of-Custody you agree that the limit of The HETL's liability to be the cost of the analytical fees in question

rev 5/11/07

00 Cooker